




Nova Filtration Technologies

STANDARD MESH LIQUID FILTER BAGS MONOFILAMENT & MULTIFILAMENT

FEATURES:

- Micron Ratings From 1 To 1500
- All Industry Standard & Custom Sizes Available
- High Flow/Low Pressure Drop Media
- Surface-Retention Filtration
- Wide Chemical Compatibility
- Sewn Construction & Handles Standard On All Bags
- Choice Of Steel Ring Or Plastic Flange
- Economical Removal Of Non-Deformable Contaminants
- Non-Fiber Releasing
- Good Removal Efficiencies
- Temperature Ratings To 350°F
- Polyester & Nylon Materials Meet FDA Regulations
- Silicone-Free Construction



For Contact Under CFR21, Section 177.1520

MICRON RATINGS

Mesh Materials	Micron Rating															
	1	5	10	25	100	125	150	175	200	250	300	400	600	800	1000	1500
Nylon Monofilament	35	45	50	75*	●	●	●	●	●	●	●	●	●	●	●	
Polypropylene Monofilament					●		●		●	●	●	●	●	●		
Nylon Multifilament					●		●		●	●	●	●	●	●		●
Polyester Multifilament					●		●		●	●	●	●	●	●		●

*Micron Ratings 1 to 75 are only offered in Nylon Monofilament

BAG DIMENSIONS

Size	Diam.	Length
P1	7.06"	16.5"
P2	7.06"	32.0"
P3	4.12"	8.0"
P4	4.12"	14.0"
P5	4.12"	24.0"
P7	5.50"	15.0"
P8	5.50"	21.0"
P9	5.50"	31.0"
P11	8.50"	16.0"
P12	8.50"	32.0"
C1	7.31"	16.5"
C2	7.31"	32.5"
RP-1	8.0"	30.0"
RP-2	8.0"	40.0"
PC-1	9.0"	20.0"
PC-2	9.0"	30.0"
X1	4.35"	8.0"
X2	4.35"	14.0"
XO1	6.0"	22.0"

BUILDING A PART NUMBER

Media Type	Micron Rating	Bag Dimensions	Ring/Flange Styles
NMO	100	P2	F
Nylon Monofilament = NMO	See "Micron Ratings" Chart	See "Bag Dimensions" Chart	Galvanized Steel = S F-Flange = F
Polypropylene Monofilament = POMO			Stainless Steel = SS OSS Flange = OSS
Nylon Multifilament = NMU			Polypropylene Ring = PP Drawstring = DS
Polyester Multifilament = PEMU	1 to 1500	P1 to XO1	Titanium = T No Ring = NR P Flange = P Santoprene = E

*Custom configurations may be available upon request